



EXPERTS IN LIGHT AND AIR

DOMETIC WINDOWS, ROOF OPENINGS, ROLLER BLINDS AND AWNINGS

When it comes to creating perfect ventilation and light conditions, Dometic brand name products are the obvious choice. 70% of all European recreational vehicles use window systems which are made at the Krautheim factory in Southern Germany. The continuous feedback from OEMs, vehicle designers and motorhome enthusiasts results in innovative solutions that set industry standards on an international scale.

Dometic provides a huge choice of hinged and sliding windows – complemented by perfectly matching fly screens, roller blind systems and awnings. Intelligent design, high-grade materials and solid workmanship guarantee maximum functionality, convenient handling and a long service life.



WINDOWS & ROOF LIGHTS

Quality from the market leader: perfect workmanship, easy handling. Insulation according to home construction standards.

PAGE 62 – 73



BLIND SYSTEMS AND FLY SCREENS

Effective protection, easy handling. Tailor-made solutions for windows and rooflights in all standard sizes.

PAGE 74 – 77



ACCESSORIES

Rainwater drainage with integrated LED strip light for Fiat Ducato sliding doors. Safety net for protecting children on board.

PAGE 77 – 78



SERVICE HATCHES

Beautiful design from weatherproof plastic material. Easy to fit without screws, horizontal or vertical installation.

PAGE 79



ROOF VENTS

FOR FRESH AND CLEAN AIR IN THE VEHICLE

DOMETIC FANTASTIC VENT 7350

3.42

Roof vent with white dome incl. remote control, 471 x 471 mm

| | | |
|--|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Quality Features | <ul style="list-style-type: none"> Manual speed fan with 14 settings Automatic variable speed controlled by built-in thermostat Fits standard 471 x 471 mm Rain sensor automatically closes dome when wet |
| | Dimensions (W x H x D) | 471 x 190 x 471 mm |
| | Color type | White |
| | Product | Ref. No. |
| | Dometic FanTastic Vent 7350 | 9600005804 |

DOMETIC FANTASTIC VENT 2250

3.42

Roof vent with white dome incl. remote control

| | | |
|-------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| | Quality Features | <ul style="list-style-type: none"> 3-speed fan (low, medium, high) Fits standard sizes Built-in thermostat |
| | Dimensions (W x H x D) | 350 x 190 x 350 mm 400 x 190 x 400 mm |
| | Color type | White |
| | Product | Ref. No. |
| | Dometic FanTastic Vent 2250, 400 x 400 mm | 9108879484 |
| Dometic FanTastic Vent 2250, 350 x 350 mm | 9108879482 | |

DOMETIC FANTASTIC VENT 3350

3.42

Roof vent with white dome incl. remote control, 400 x 400 mm

| | | |
|--|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| | Quality Features | <ul style="list-style-type: none"> Three fan blade speeds Built-in thermostat Quiet operation |
| | Dimensions (W x H x D) | 400 x 190 x 400 mm |
| | Color type | White |
| | Product | Ref. No. |
| | Dometic FanTastic Vent 3350 | 9108879488 |



There are many different ways to let fresh air and natural light into the vehicle. You can use one of our popular lift-and-tilt roof lights (Hekis), or opt for a top-hung or sliding window.

DOMETIC MICRO HEKI 280 X 280



Roof window

| | WITH FORCED VENTILATION | WITHOUT FORCED VENTILATION | |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------|
| | Operating | Lever | Lever |
| | Positions | 2 | 2 |
| | Max. opening angle | 50° | 50° |
| | PMMA glazing | Double | Double |
| | Darkening | Single-pleated optional | Single-pleated |
| | Fly screen | Single-pleated | Single-pleated |
| | Frame material | ASA | ASA |
| | Frame colour | RAL 9001 | RAL 9001 |
| | Possible roof thickness | 23 – 42* mm | 23 – 42* mm |
| | Installation dimensions = External space requirement | 430 x 390 mm | 430 x 390 mm |
| Aperture size | 280 x 280 mm | 280 x 280 mm | |
| Weight | 1.7 kg | 1.7 kg | |
| Quality Features | Model available with inner fly screen (can be adjusted separately) and optional darkening; Model available with or without forced ventilation; Maximum opening angle: 50°; Double acrylic glazing, tinted on the outside; Lockable vent position; For roof thickness of 23–42 mm | | |
| Product | Ref. No. | | |
| Roof window with flyscreen and forced ventilation | 9104117434 | | |
| Roof window with flyscreen | 9104117435 | | |
| Roof window with blinds and flyscreen, forced ventilation | 9104117679 | | |
| Roof window with blinds and flyscreen | 9104117680 | | |
| / Optional extras | | | |
| Adapter frame for roof thicknesses of 43–60 mm | 9104118059 | | |
| Adapter frame for for balancing the ledges on Fiat Ducato | 9104116108 | | |
| Assembly kit 23–25 mm | 9104118048 | | |
| Assembly kit 26–27 mm | 9104118049 | | |
| Assembly kit 28–29 mm | 9104118050 | | |
| Assembly kit 30–31 mm | 9104118051 | | |
| Assembly kit 32–33 mm | 9104118052 | | |

DOMETIC MINI HEKI STYLE 400 X 400

3.42

Roof window

| | WITH FORCED VENTILATION | WITHOUT FORCED VENTILATION | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------|
|   * Requires shortening of the screw bosses | Operating | Lever | |
| | Positions | 3 | |
| | Max. opening angle | 50° | |
| | PMMA glazing | Double | |
| | Darkening | Single-pleated | |
| | Fly screen | Single-pleated | |
| | Frame material | ASA | |
| | Frame colour | RAL 9001 | |
| | Standard roof thickness | 42 mm | 60 mm |
| | Possible roof thickness | 25–41 * mm | 43–59 * mm |
| Installation dimensions = External space requirement | 550 x 510 mm | 550 x 510 mm | |
| Aperture size | 400 x 400 mm | 400 x 400 mm | |
| Weight | 3.3 kg | 3.3 kg | |
| Quality Features | <ul style="list-style-type: none"> • Opens to three positions: fully open, half-open, and bad-weather position • Dome with double acrylic glazing • Special shaped glass dome is aerodynamic • Handle-operated • Without or without forced ventilation • 400 x 400 mm | | |
| Product | Ref. No. | | |
| Roof window with forced ventilation, roof thickness 25–42 mm | 9104116244 | | |
| Roof window with forced ventilation, roof thickness 43–60 mm | 9104116245 | | |
| Roof window without forced ventilation, roof thickness 25–42 mm | 9104116242 | | |
| Roof window without forced ventilation, roof thickness 43–60 mm | 9104116243 | | |
| / Optional extras | | | |
| Spoiler | 9104100260 | | |
| Adapter frame for roof openings bigger than 400 x 400 mm | 9103500476 | | |
| Adapter frame for Fiat Ducato 250, 400 x 400 mm | 9104114007 | | |

DOMETIC MINI HEKI S 400 X 400

3.42


Roof window

| | | |
|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|  * Requires shortening of the screw bosses | Operating | Handles |
| | Positions | 5 |
| | PMMA glazing | Single |
| | Darkening | Single-pleated |
| | Fly screen | Single-pleated |
| | Frame material | ASA |
| | Frame colour | RAL 9001 |
| | Possible roof thickness | 23–41 * mm or 43–59 * mm |
| | Installation dimensions = External space requirement | 500 x 500 mm |
| | Aperture size | 400 x 400 mm |
| Weight | 2.9 kg | |
| Quality Features | <ul style="list-style-type: none"> • Using handles, it can be placed in five different positions • Separately adjustable darkening and fly screens keep light and insects out • Forced ventilation | |
| Product | Ref. No. | |
| Dometic Mini Heki S, Roof window for roof thickness 25–42 mm | 9104100289 | |
| Dometic Mini Heki S, Roof window for roof thickness 43–60 mm | 9104100290 | |
| / Optional extras | | |
| Spoiler | 9104100260 | |
| Adapter frame for roof openings bigger than 400 x 400 mm | 9103500476 | |
| Adapter frame for Fiat Ducato 250, 400 x 400 mm | 9104114007 | |

DOMETIC MIDI HEKI STYLE 700 X 500

3.42

Roof window


| | MIDI HEKI (HANDLE) | MIDI HEKI (CRANK) |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | Lever |
| | Positions | 3 |
| | Max. opening angle | 45° |
| | PMMA glazing | Double |
| | Darkening | Single-pleated |
| | Fly screen | Single-pleated |
| | Frame material | ASA |
| | Frame colour | RAL 9001 |
| | Standard roof thickness | 30 – 34 mm |
| | Possible roof thickness | 25–29 / 35–60 *mm |
| | Installation dimensions = External space requirement | 880 x 650 mm |
| | Aperture size | 700 x 500 mm |
| | Weight | 8.0 kg |
| | Quality Features | <ul style="list-style-type: none"> • Separately adjustable darkening and fly screens • Well insulated dome with double acrylic glazing • Improved aerodynamics reduce by 20 % |
| | Product | Ref. No. |
| | Dometic Midi Heki Style, Roof window with lever, with forced ventilation, white, 700 x 500 mm | 9104120057 |
| | Dometic Midi Heki Style, Roof window with crank, with forced ventilation, white, 700 x 500 mm | 9104120059 |
| | Dometic Midi Heki Style, Roof window with lever, without forced ventilation, white, 700 x 500 mm | 9104120058 |
| | Dometic Midi Heki Style, Roof window with crank, without forced ventilation, white, 700 x 500 mm | 9104120060 |
| | Dometic Midi Heki Style, Roof window with lever, with forced ventilation, grey, 700 x 500 mm | 9104121199 |
| | Dometic Midi Heki Style, Roof window with crank, with forced ventilation, grey, 700 x 500 mm | 9104121201 |
| | Dometic Midi Heki Style, Roof window with lever, without forced ventilation, grey, 700 x 500 mm | 9104121200 |
| | Dometic Midi Heki Style, Roof window with crank, without forced ventilation, grey, 700 x 500 mm | 9104121202 |
| | / Optional extras | |
| | Additional Fly screen | 9103500237 |
| | Adapter frame | 9104116106 (front) |
| | Adapter frame | 9104116107 (rear) |
| | Additional Fly screen | 9104100259 |
| | Spoiler 800 mm | 9104100236 |
| | Assembly kit 25–29 mm | 9104100261 |
| | Assembly kit 35–42 mm | 9104100263 |
| | Assembly kit 43–52 mm | 9104100264 |
| | Assembly kit 53–60 mm | 9104100265 |

* Requires additional assembly kit

DOMETIC HEKI 2 960 X 655

3.42

Roof window for caravans



| | | |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | Lever |
| | Positions | 3 |
| | Max. opening angle | 55° |
| | PMMA glazing | Double |
| | Darkening | Roller blind system |
| | Fly screen | Roller blind system |
| | Frame material | ASA |
| | Frame colour | RAL 9001 |
| | Standard roof thickness | 25–32 mm |
| | Possible roof thickness | 33–60 *mm |
| | Installation dimensions = External space requirement | 1080 x 790 mm |
| | Aperture size | 960 x 655 mm |
| | Weight | 11.0 kg |
| | Quality Features | <ul style="list-style-type: none"> • Pneumatic springs for easy opening • Separately adjustable darkening and fly screens • Forced ventilation • Double acrylic glazing |
| | Product | Ref. No. |
| | Dometic Heki 2 | 9104100235 |
| | / Optional extras | |
| | Inner frame with integrated lights and roller blind for the Heki 2 De Luxe roof light | 9104100241 |
| | Spoiler 800 mm | 9104100236 |
| | Spoiler 1,100 mm | 9104100237 |
| | Assembly kit 32–39 mm | 9104100245 |
| | Assembly kit 39–46 mm | 9104100246 |
| | Assembly kit 46–53 mm | 9104100247 |
| | Assembly kit 53–60 mm | 9104100248 |

* Requires additional assembly kit

DOMETIC HEKI 2 DE LUXE 960 X 655

3.42

Roof window for caravans, with integrated lights and honeycomb blind



| | | |
|----------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | Lever |
| | Positions | 3 |
|  | Max. opening angle | 55° |
| | T2-volt lights | 4 x 5 W |
| | PMMA glazing | Double |
| | Darkening | Duette |
| | Fly screen | Roller blind system |
| | Frame material | ASA |
| | Frame colour | RAL 9001 |
| | Standard roof thickness | 25–32 mm |
| | Possible roof thickness | 33–60 * mm |
| | Installation dimensions = External space requirement | 1080 x 790 mm |
| | Aperture size | 960 x 655 mm |
| | Weight | 11.0 kg |
| | Quality Features | <ul style="list-style-type: none"> • Pneumatic springs • Double-pleated Duette honeycomb roller blind and fly screen • Forced ventilation • Double acrylic glazing • Integrated lighting |
| | Product | Ref. No. |
| | Dometic Heki 2 de Luxe | 9104100240 |
| | / Optional extras | |
| | Spoiler 800 mm | 9104100236 |
| | Spoiler 1,100 mm | 9104100237 |
| | Assembly kit 32–39 mm | 9104100245 |
| | Assembly kit 39–46 mm | 9104100246 |
| | Assembly kit 46–53 mm | 9104100247 |
| | Assembly kit 53–60 mm | 9104100248 |

* Requires additional assembly kit

DOMETIC HEKI 3PLUS 960 X 655

3.42



Roof window for caravans and motorhomes

| | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | Crank |
| | Positions | variable |
|  | Max. opening angle | 70° |
| | PMMA glazing | Double |
| | Darkening | Duette |
| | Fly screen | Single-pleated |
| | Frame material | ASA |
| | Frame colour | RAL 9001 |
| | Standard roof thickness | 25–32 mm |
| | Possible roof thickness | 33–60* mm |
| | Installation dimensions = External space requirement | 1080 x 790 mm |
| | Aperture size | 960 x 655 mm |
| | Weight | 15 kg |
| | Quality Features | <ul style="list-style-type: none"> • Double-pleated Duette honeycomb blind • Pleated, black gauze fly screen • Double acrylic glazing • Available with or without integrated lights |
| | Product | Ref. No. |
| | Dometic Heki 3plus | 9104115635 |
| | / Optional extras | |
| | Spoiler 800 mm | 9104100236 |
| | Spoiler 1,100 mm | 9104100237 |
| | Assembly kit 32–39 mm | 9104100245 |
| | Assembly kit 39–46 mm | 9104100246 |
| | Assembly kit 46–53 mm | 9104100247 |
| | Assembly kit 53–60 mm | 9104100248 |

* Requires additional assembly kit

DOMETIC S4 WINDOWS

Top-hung and sliding windows

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>Sliding window</p>  <p>Hinged window</p> | <p>Quality Features</p> <ul style="list-style-type: none"> • Double acrylic glazing and polyurethane frame for excellent insulation • Built-in aluminium-coated darkening blind • Practical fly screen keeps insects out • Quick and easy installation • Friction hinges allow opening to any position (top-hung version) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

3.42

| Size W x H (mm) | Overall size W x H (mm) | Space size W x H (mm) | Clearance dimension W x H (mm) | Weight (kg) | Ref. No. hinged window | Ref. No. sliding window |
|-----------------|-------------------------|-----------------------|--------------------------------|-------------|------------------------|-------------------------|
| 300 x 500 | 343 x 531 | 293 x 498 | 204 x 354 | 4.3 | 9104117016 | – |
| 350 x 500 | 393 x 531 | 343 x 498 | 254 x 354 | 4.7 | 9104115543 | – |
| 500 x 300 | 544 x 330 | 499 x 298 | 404 x 154 | 4.3 | 9104115544 | – |
| 500 x 350 | 544 x 380 | 500 x 348 | 404 x 204 | 4.7 | 9104115545 | – |
| 500 x 450 | 544 x 480 | 500 x 448 | 404 x 304 | 5.0 | 9104115546 | 9104100141 |
| 500 x 500 | 544 x 531 | 499 x 499 | 404 x 354 | 5.7 | 9104115547 | – |
| 550 x 550 | 594 x 581 | 549 x 549 | 454 x 404 | 5.7 | 9104115549 | – |
| 550 x 600 | 594 x 631 | 549 x 599 | 454 x 454 | 6.1 | 9104115551 | – |
| 600 x 500 | 644 x 531 | 599 x 498 | 504 x 354 | 6.1 | 9104115552 | 9104100147 |
| 600 x 600 | 644 x 631 | 599 x 599 | 504 x 454 | 7.0 | 9104115553 | 9104100149 |
| 700 x 300 | 745 x 330 | 700 x 298 | 604 x 154 | 5.3 | 9104115555 | 9104100151 |
| 700 x 400 | 745 x 430 | 702 x 398 | 604 x 254 | 6.1 | 9104115557 | 9104100153 |
| 700 x 450 | 745 x 481 | 702 x 448 | 604 x 304 | 6.5 | 9104115558 | 9104100155 |
| 700 x 500 | 745 x 531 | 700 x 498 | 604 x 354 | 7.0 | 9104115559 | – |
| 700 x 550 | 745 x 581 | 700 x 549 | 604 x 404 | 7.4 | 9104115560 | 9104100157 |
| 700 x 600 | 745 x 631 | 702 x 599 | 604 x 454 | 7.7 | 9104115561 | 9104100159 |
| 750 x 400 | 797 x 430 | 750 x 398 | 654 x 254 | 6.4 | 9104115562 | 9104100161 |
| 750 x 600 | 797 x 631 | 750 x 599 | 654 x 454 | 8.2 | 9104115564 | 9104100163 |
| 800 x 350 | 846 x 380 | 800 x 347 | 704 x 204 | 6.6 | 9104115565 | 9104100165 |
| 800 x 450 | 846 x 481 | 801 x 450 | 704 x 304 | 7.1 | 9104115566 | 9104100167 |
| 900 x 400 | 948 x 430 | 902 x 398 | 804 x 254 | 7.5 | 9104115568 | 9104100171 |
| 900 x 450 | 948 x 481 | 902 x 448 | 804 x 304 | 8.0 | 9104115569 | 9104100173 |
| 900 x 500 | 948 x 531 | 902 x 499 | 804 x 354 | 8.4 | 9104115570 | 9104100175 |
| 900 x 550 | 948 x 581 | 902 x 549 | 804 x 404 | 8.6 | 9104115571 | 9104100177 |
| 900 x 600 | 948 x 631 | 902 x 599 | 804 x 454 | 9.2 | 9104115572 | 9104100179 |
| 1000 x 450 | 1048 x 481 | 1002 x 448 | 904 x 304 | 8.6 | 9104115573 | – |
| 1000 x 500 | 1048 x 531 | 1002 x 499 | 904 x 354 | 9.3 | 9104115574 | 9104100181 |
| 1000 x 600 | 1048 x 631 | 1002 x 599 | 904 x 454 | 11.0 | 9104115576 | 9104100185 |
| 1000 x 800 | 1048 x 832 | 1002 x 800 | 904 x 654 | 12.0 | 9104115577 | – |
| 1100 x 450 | 1148 x 481 | 1103 x 448 | 1004 x 304 | 9.9 | 9104115578 | 9104100187 |
| 1100 x 550 | 1148 x 581 | 1102 x 549 | 1004 x 404 | 10.1 | 9104115579 | – |
| 1200 x 300 | 1248 x 330 | 1201 x 297 | 1104 x 154 | 8.2 | 9104115581 | – |
| 1200 x 500 | 1249 x 531 | 1203 x 500 | 1104 x 354 | 10.5 | 9104115583 | – |
| 1200 x 600 | 1249 x 631 | 1201 x 599 | 1104 x 454 | 12.5 | 9104115584 | 9104100189 |
| 1200 x 700 | 1249 x 733 | 1201 x 699 | 1104 x 554 | 13.1 | 9104115585 | – |
| 1300 x 600 | 1343 x 631 | 1297 x 599 | 1204 x 454 | 14.2 | 9104115588 | 9104100193 |
| 1450 x 550 | 1500 x 581 | 1453 x 549 | 1354 x 404 | 13.6 | 9104115589 | – |
| 1450 x 600 | 1500 x 631 | 1454 x 599 | 1354 x 454 | 14.9 | 9104115590 | 9104100195 |
| 1450 x 700 | 1500 x 733 | 1452 x 699 | 1354 x 554 | 15.7 | 9104115591 | – |

OPTIONAL EXTRAS (TO BE ORDERED FROM YOUR STOCKLIST)

Friction stays for S4 hinged windows

| Hinge | Length* (cm) | Ref. No. |
|---------------------------------------------------|--------------|-------------|
| for window height 350 | 13.3 | 44990000539 |
| for window height 400 | 17.5 | 44990000547 |
| for window height 450 | 20.7 | 44990000554 |
| for window height 500 | 25.1 | 44990000562 |
| for window height 550 | 27.4 | 44990000570 |
| for window height 600, up to window width 1300 mm | 32.4 | 44990000588 |
| for window height 600, from window width 1450 mm | 32.4 | 44990000604 |
| for window height 700 | 33.3 | 44990000596 |
| Set of 3 locking devices | – | 44990000612 |

Friction stays and latches.
Sales pack = 1 left and 1 right hinge



* measured in retracted state, from the catch of the locking device to the drill hole

DOMETIC S7P WINDOWS

This combination of a single pleated darkening screen and a fly screen is specially designed for use with Dometic's S7P windows. Both screens can be clipped together and conveniently adjusted with one hand to any position.



| Size W x H (mm) | Overall size W x H (mm) | Space size W x H (mm) | Clearance dimension W x H (mm) | Weight (kg) | Ref. No. |
|-----------------|-------------------------|-----------------------|--------------------------------|-------------|------------|
| 280 x 380 | 308 x 408 | 280 x 380 | 230 x 330 | 1.6 | 9104116042 |
| 490 x 500 | 518 x 528 | 490 x 500 | 440 x 450 | 3.0 | 9104116041 |
| 560 x 465 | 588 x 493 | 560 x 465 | 510 x 415 | 3.2 | 9104116040 |
| 700 x 510 | 728 x 538 | 700 x 510 | 650 x 460 | 4.1 | 9104116039 |
| 750 x 465 | 778 x 493 | 750 x 465 | 700 x 415 | 4.0 | 9104116038 |
| 818 x 315 | 843 x 343 | 818 x 315 | 768 x 265 | 3.2 | 9104116037 |
| 960 x 450 | 988 x 478 | 960 x 450 | 910 x 400 | 4.8 | 9104116036 |
| 985 x 465 | 1013 x 493 | 985 x 465 | 935 x 415 | 5.1 | 9104116035 |

ACCESSORIES – PLEATED BLINDS FOR S7P WINDOW

The single pleated darkening screen and the fly screen can be clipped together and adjusted with one hand to any position. For wall thickness 26 – 27mm

| Size W x H (mm) | Window size W x H (mm) | Colour | Ref. No. |
|-----------------|------------------------|--------|------------|
| 233 x 352 | 280 x 380 | creme | 9104116029 |
| 443 x 472 | 490 x 500 | creme | 9104116030 |
| 513 x 437 | 560 x 465 | creme | 9104116018 |
| 653 x 482 | 700 x 510 | creme | 9104116019 |
| 703 x 437 | 750 x 465 | creme | 9104116020 |
| 771 x 287 | 818 x 315 | creme | 9104116021 |
| 913 x 422 | 960 x 450 | creme | 9104116022 |
| 938 x 437 | 985 x 465 | creme | 9104116044 |




ACCESSORIES – FIXING KIT FOR S7P WINDOW

The fixing kits matching the various window sizes are indispensable installation accessories for S7P aluminium windows; they make installation very easy. Mounting brackets and screws for the existing wall thickness are included.

| Wall thickness (mm) | Ref. No. |
|---------------------|------------|
| 22 – 23 | 9104116094 |
| 24 – 25 | 9104116095 |
| 26 – 27 | 9104116096 |
| 28 – 29 | 9104116097 |
| 30 – 31 | 9104116098 |
| 32 – 33 | 9104116099 |
| 34 – 35 | 9104116100 |
| 36 – 37 | 9104116101 |
| 38 – 39 | 9104116102 |
| 40 – 41 | 9104116103 |
| 42 – 43 | 9104116104 |






DOMETIC DB1R

Darkening roller blind with fly screen


- Quality features**
- New design – blends in harmoniously with modern vehicle models
 - Preassembled to fit RV windows
 - Black-out blind and fly screen can be adjusted separately
 - Fly screen can be fitted top or bottom
 - Maximum field of vision due to slim profiles
 - No visible screws
 - Tool-free tensioning of blind and fly screen



| Order size | | Total measurement | | Window section | | cream white | |
|-----------------------------------------------|-------------|-------------------|-------------|----------------|-------------|-------------|------------|
| Size A (mm) | Size B (mm) | Size C (mm) | Size D (mm) | Size E (mm) | Size F (mm) | Weight (kg) | Ref. No. |
| 480 | 330 | 554 | 436 | 500 | 300 | 1.25 | 9104121218 |
| 480 | 530 | 554 | 636 | 500 | 500 | 1.3 | 9104121219 |
| 580 | 530 | 654 | 636 | 600 | 500 | 1.35 | 9104121220 |
| 580 | 630 | 654 | 736 | 600 | 600 | 1.39 | 9104121221 |
| 680 | 430 | 754 | 536 | 700 | 400 | 1.41 | 9104121222 |
| 680 | 530 | 754 | 636 | 700 | 500 | 1.45 | 9104121223 |
| 680 | 630 | 754 | 736 | 700 | 600 | 1.49 | 9104121224 |
| 780 | 530 | 854 | 636 | 800 | 500 | 1.54 | 9104121225 |
| 780 | 630 | 854 | 736 | 800 | 600 | 1.59 | 9104121226 |
| 880 | 330 | 954 | 436 | 900 | 300 | 1.64 | 9104121227 |
| 880 | 530 | 954 | 636 | 900 | 500 | 1.7 | 9104121228 |
| 880 | 630 | 954 | 736 | 900 | 600 | 1.74 | 9104121229 |
| 980 | 530 | 1054 | 636 | 1000 | 500 | 1.81 | 9104121230 |
| 980 | 630 | 1054 | 736 | 1000 | 600 | 1.85 | 9104121231 |
| 1080 | 530 | 1154 | 636 | 1100 | 500 | 1.9 | 9104121232 |
| 1080 | 630 | 1154 | 736 | 1100 | 600 | 1.94 | 9104121233 |
| 1180 | 330 | 1254 | 436 | 1200 | 300 | 1.9 | 9104121234 |
| 1180 | 530 | 1254 | 636 | 1200 | 500 | 1.94 | 9104121235 |
| 1180 | 630 | 1254 | 736 | 1200 | 600 | 1.98 | 9104121236 |
| 1280 | 530 | 1354 | 636 | 1300 | 500 | 2.04 | 9104121237 |
| 1280 | 630 | 1354 | 736 | 1300 | 600 | 2.09 | 9104121238 |
| 1580 | 630 | 1654 | 736 | 1600 | 600 | 2.21 | 9104121239 |
| Dometic DB1R – Roof hatch roller blind | | | | | | | |
| 410 | 480 | 484 | 586 | 430 | 450 | 0.96 | 9104121240 |
| 470 | 480 | 544 | 586 | 490 | 450 | 1.08 | 9104121241 |
| 510 | 580 | 584 | 686 | 530 | 550 | 1.15 | 9104121242 |

DOMETIC RASTROLLO 3000

Roller blind



Quality features

- Spring loaded roller blind for smooth and even unwinding
- Black-out blind and fly screen which can be adjusted separately
- Designed to be fitted above the window, making it ideal for windows without frames

| Standard size | | grey-white | | white | | | | |
|---------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|
| Size A (mm) | Size B (mm) | Size C (mm) | Size D (mm) | Size E (mm) | Size F (mm) | Weight (kg) | Ref. No. | Ref. No. |
| 335 | 345 | 354 | 439 | 275 | 285 | 1.0 | - | 9104109622 |
| 660 | 710 | 679 | 804 | 600 | 650 | 2.28 | 9104108376 | 9104108412 |
| 710 | 710 | 729 | 804 | 650 | 650 | 2.33 | 9104108377 | 9104108413 |
| 760 | 710 | 779 | 804 | 700 | 650 | 2.39 | 9104108378 | 9104108414 |
| 810 | 710 | 829 | 804 | 750 | 650 | 2.44 | 9104108379 | 9104108415 |
| 860 | 710 | 879 | 804 | 800 | 650 | 2.50 | 9104108380 | 9104108416 |
| 960 | 710 | 979 | 804 | 900 | 650 | 2.61 | 9104108381 | 9104108417 |
| 1060 | 710 | 1079 | 804 | 1000 | 650 | 2.71 | 9104108382 | 9104108418 |
| 1160 | 710 | 1179 | 804 | 1100 | 650 | 2.82 | 9104108383 | 9104108419 |
| 1260 | 710 | 1279 | 804 | 1200 | 650 | 2.93 | 9104108384 | 9104108420 |
| 1360 | 810 | 1379 | 904 | 1300 | 750 | 3.34 | 9104108385 | 9104108421 |
| 1460 | 810 | 1479 | 904 | 1400 | 750 | 3.45 | 9104108386 | 9104108422 |
| 1510 | 810 | 1529 | 904 | 1450 | 750 | 3.50 | 9104108387 | 9104108423 |
| 1560 | 810 | 1579 | 904 | 1500 | 750 | 3.56 | 9104108388 | 9104108424 |
| 1610 | 810 | 1629 | 904 | 1550 | 750 | 3.61 | 9104108389 | 9104108425 |
| 1660 | 810 | 1679 | 904 | 1600 | 750 | 3.67 | 9104108390 | 9104108426 |
| 1760 | 810 | 1779 | 904 | 1700 | 750 | 3.78 | 9104108391 | 9104108427 |

DOMETIC DB3H

Honeycomb darkening roller blind with fly screen



Quality features



- New design – blends in harmoniously with modern vehicle models
- Black-out blind and fly screen can be adjusted separately
- Double-pleated honeycomb material for excellent thermal insulation
- Preassembled to fit most of available RV windows it can be cut in height to fit other window sizes
- Maximum field of vision due to slim profiles
- No visible screws
- Tool-free tensioning of blind and fly screen

| Order size | | Total measurement | | Window section | | cream white | |
|-------------|-------------|-------------------|-------------|----------------|-------------|-------------|------------|
| Size A (mm) | Size B (mm) | Size C (mm) | Size D (mm) | Size E (mm) | Size F (mm) | Weight (kg) | Ref. No. |
| 485 | 700 | 559 | 775 | 500 | 785 | 1.1 | 9104121246 |
| 535 | 700 | 609 | 775 | 550 | 785 | 1.15 | 9104121247 |
| 585 | 700 | 659 | 775 | 600 | 785 | 1.2 | 9104121248 |
| 635 | 700 | 709 | 775 | 650 | 785 | 1.25 | 9104121249 |
| 685 | 700 | 759 | 775 | 700 | 785 | 1.3 | 9104121250 |
| 735 | 700 | 809 | 775 | 750 | 785 | 1.35 | 9104121251 |
| 785 | 700 | 859 | 775 | 800 | 785 | 1.45 | 9104121252 |
| 885 | 700 | 959 | 775 | 900 | 785 | 1.55 | 9104121253 |
| 985 | 700 | 1059 | 775 | 1000 | 785 | 1.65 | 9104121254 |
| 1085 | 700 | 1159 | 775 | 1100 | 785 | 1.75 | 9104121255 |
| 1185 | 700 | 1259 | 775 | 1200 | 785 | 1.85 | 9104121256 |
| 1285 | 800 | 1359 | 875 | 1300 | 885 | 2.01 | 9104121257 |
| 1385 | 800 | 1459 | 875 | 1400 | 885 | 2.09 | 9104121258 |
| 1485 | 800 | 1559 | 875 | 1500 | 885 | 2.25 | 9104121260 |
| 1585 | 800 | 1659 | 875 | 1600 | 885 | 2.41 | 9104121262 |

DOMETIC FP 200

4.70



Darkening system with windscreen blind for Fiat Ducato 250/290

| | | |
|---------------------------------------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | manual |
| | Positions | variable |
| | Frame material | PA6, Aluminium |
| | Frame colour | RAL7044, RAL9005 |
| | Quality Features | <ul style="list-style-type: none"> • Double-pleated Duette honeycomb material for maximum thermal insulation and darkening effect • Customised to fit Fiat Ducato models X250 and X290 • Best possible insulation and darkening in the lower section (dashboard) as well as in the upper section (end profile) and side section • Adjustable to any position required |
|  | | |
| Product | | Ref. No. |
| Windscreen blind, beige | | 9104116564 |
| Side screens (left, right), beige | | 9104113604 |
| Windscreen blind + side screens in a set, beige | | 9104116924 |
| This product is not suitable for vehicles with folding beds, roof racks or optionally installed head airbags. | | |

DOMETIC FP 300

4.70



Darkening system with windscreen blind for Fiat Ducato 250/290

| | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | manual |
| | Positions | variable |
| | Frame material | PA6, Aluminium |
| | Frame colour | RAL7044, RAL9005 |
| | Quality Features | <ul style="list-style-type: none"> • Double-pleated honeycomb material for maximum insulation against heat and cold • Bottom-to-top operation – optimal privacy protection • Ultra-fast installation – no need to dismantle existing components! • Slim upper blind • Can be set to any position to let light into the vehicle or darken the cabin completely • Specially developed for vehicles without inside mirror and without side airbag • Also suitable for vehicles with a rain sensor box |
|  | | |
| Product | | Ref. No. |
| Dometic FP 300 with front screen for Fiat Ducato 250/290 | | 9104121168 |
| Dometic FP 300 with front and side screens for Fiat Ducato 250/290 | | 9104121169 |
| Custom-fit for Fiat Ducato models X250 and X290 as well as the same design Peugeot Boxer and Citroën Jumper models. Not suitable for vehicles with rear-view mirror or side airbag. | | |

DOMETIC SP 300

4.70


Darkening system with side screens for Fiat Ducato 250/290

| | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | manual |
| | Positions | variable |
| | Frame material | PA6 |
| | Frame colour | RAL7044 |
| | Quality Features | <ul style="list-style-type: none"> • Double-pleated honeycomb material for maximum insulation against heat and cold • Effective darkening thanks to 100% light-tight material • Custom-fit for Fiat Ducato models X250/ X290 and similar design Peugeot Boxer and Citroën Jumper models • Hassle-free installation – no need to disassemble any door components |
|  | | |
| Product | | Ref. No. |
| Left | | 9104122292 |
| Right | | 9104122695 |
| Custom-fit for Fiat Ducato models X250 and X290 as well as the same design Peugeot Boxer and Citroën Jumper models. Not suitable for vehicles with rear-view mirror or side airbag. | | |

DOMETIC WINDSCREEN ROLLER BLINDS

4.70

Windscreen roller blind for Fiat Ducato 250 / 233 / 244

| | | |
|--------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | manual |
| | Positions | variable |
| | Cassete material | aluminium |
| | Frame colour | RAL 9005 |
| | Quality Features | <ul style="list-style-type: none"> • Screening and insulation due to an aluminium coating on the exterior • Powder-coated cassette with roller blind • Available for left and right-hand-drive models (type 250) |
| Product | | Ref. No. |
| Windscreen roller blind, grey (left-hand-drive), for Fiat Ducato Type 250 | | 9104100269 |
| Windscreen roller blind, grey (right-hand-drive), for Fiat Ducato Type 250 | | 9104100270 |
| Windscreen roller blind, beige (left-hand-drive), for Fiat Ducato Type 230 and 244 | | 9104100233 |
| Windscreen roller blind, grey (left-hand-drive), for Fiat Ducato Type 230 and 244 | | 9104100234 |

DOMETIC FLYSCREEN

4.70


Door fly screen

| | | |
|---------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Frame material | Aluminium |
| | Frame colour | RAL 9016 |
| | Quality Features | <ul style="list-style-type: none"> • Aluminum frame is simply attached to the top half of the door, which can be opened separately • Sturdy, glass-fibre reinforced fly screen and durable, powder-coated aluminum frame • A perfect fit for standard size doors • Low space requirement – only 62 mm deep |
|  | | |
| Product | | Ref. No. |
| Door fly screen, 580 x 1100 mm | | 9104100238 |
| Door fly screen, 615 x 1100 mm | | 9104100239 |

DOMETIC FLYTEC FT200

4.70

Door fly screen for for Fiat Ducato 250/290


| | | |
|-----------------------------------------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Operating | Manual |
| | Frame material | Aluminium |
| | Frame colour | RAL7044 |
| | Weight | 5.5 kg |
| | Quality Features | <ul style="list-style-type: none"> • Custom-fit for Fiat Ducato models X250 and X290 as well as the same design Peugeot Boxer and Citroën Jumper models. • Reliably keeps out all types of insects • Convenient on-hand operation • Quick to install |
| | Product | Ref. No. |
| | Dometic FlyTec FT200, for left hand drive vehicles | 9104117297 |
| | Dometic FlyTec FT200, for right hand drive vehicles | 9104117296 |



DOMETIC RAINTEC RT 100

4.70

Illuminated drainage


| | | |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Material | Aluminium |
| | Weight | 480 g |
| | Quality Features | <ul style="list-style-type: none"> • Rain gutter for Fiat Ducato sliding doors • Prevents rainwater getting in when the door is open • Also features an integrated LED light strip |
| | Product | Ref. No. |
| | Dometic RainTec RT 100, illuminated drainage, black version | 9106505301 |
| | Dometic RainTec RT 100, illuminated rain gutter for Fiat Ducato sliding doors, white | 9106505302 |
| | Optional accessory | |
| | Remote control for LED lights and SMD flexi-strips | 9106504080 |



DOMETIC SAFETY NET

4.70

Safety net

| | | |
|-------------------------------------------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Scope of delivery | Safty net with manual in box |
| | Description | This safety net stops children from falling out of bed and prevents injuries. It attaches to the slatted base with four screws while two straps connect to the ceiling. It can be conveniently dismantled in a matter of seconds. |
| | Quality Features | <ul style="list-style-type: none"> • Easy to operate • Ensure there's no harm even if someone falls out of bed • Meets the standards of the automobile industry, for heights of up to 900 mm |
| | Product | Ref. No. |
| | Dometic Safety Net, 1800 x 580 | 9104100231 |
| | Dometic Safety Net, 1800 x 900 | 9104100232 |



DOMETIC SK 4

3.42


Service Hatch, 375 x 305 mm

| | | | | | | | |
|--------------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----|-----|--------------------|--|
|  | Quality Features | <ul style="list-style-type: none"> • Durable service hatch made from spray cast ASA • Quick and easy installation without the need for screws • Can be fitted vertically or horizontally | | | | | |
| | Width (mm), hinge dimension | | | | | Height (mm) | |
| 375 x 305 | 375 | 335 | 409 | 305 | 265 | 338 | |
| 700 x 305 | 700 | 660 | 734 | 305 | 265 | 338 | |
| 700 x 405 | 700 | 660 | 734 | 405 | 365 | 438 | |
| 1000 x 305 | 1000 | 960 | 1034 | 305 | 265 | 338 | |
| 1000 x 405 | 1000 | 960 | 1034 | 405 | 365 | 438 | |
| Wall thickness (mm) | Weight (kg)* | | Ref. No. | | | | |
| 23 - 32 | 0.99 | | 9104100197 | | | | |
| 23 - 32 | 1.45 | | 9104100198 | | | | |
| 23 - 42 | 1.56 | | 9104100199 | | | | |
| 23 - 42 | 2.00 | | 9104100200 | | | | |
| 23 - 42 | 2.20 | | 9104100201 | | | | |

DOMETIC SK 5

3.42

Service Hatch

| | | | | | | | |
|---------------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|---------------|--------------------|--|
|  | Quality Features | <ul style="list-style-type: none"> • Service hatch with integrated ventilation for the Dometic cassette toilet • Quick and easy installation without the need for screws • Designed to blend in with the exterior of vehicle | | | | | |
| | Width (mm), hinge dimension | | | | | Height (mm) | |
| Size (mm) | Size A | Size B | Size C | Size D | Size E | Size F | |
| 360 x 310 | 360 | 337 | 385 | 310 | 288 | 335 | |
| 650 x 350 | 648 | 625 | 673 | 347 | 326 | 373 | |
| 1070 x 300 | 1070 | 1047 | 1095 | 300 | 278 | 325 | |
| Wall thickness (mm) | Weight (kg)* | | Ref. No. | | | | |
| 23 - 36 | 0.90 | | 9104100202 | | | | |
| 23 - 36 | 1.30 | | 9104100203 | | | | |
| 23 - 36 | 1.60 | | 9104108622 | | | | |

* Weight without cover. All sizes in mm. Changes and errors reserved.
 A = SPACE SIZE IN WIDTH B = CLEARANCE WIDTH C = OVERALL WIDTH D = SPACE SIZE IN HEIGHT E = CLEARANCE F = OVERALL HEIGHT