

BUYING GUIDE

BUYING GUIDE AWNINGS

FIND THE RIGHT AWNING FOR YOUR RECREATIONAL VEHICLE

Mobile living made easy.

 **DOMETIC**

CONTENTS

AWNINGS

BAG AWNING	10 – 11
PW – WALL MOUNTED	12 – 17
PR – ROOF MOUNTED	18 – 21
VEHICLE SPECIFIC KITS	22 – 28

PRIVACY ROOM / CAMP ROOM

29 – 31

SUN & RAIN PROTECT

32 – 33

ACCESSORIES

ROLLO +	34
LED PROFILE	35
ADDITIONAL PRODUCTS	36 – 37

VEHICLE ADAPTERS

38 – 45





WHAT A DOMETIC AWNING DOES FOR YOU

When travelling in your camper vehicle you have the privilege of being free to stop at the most beautiful places. Simply turn off the ignition, get the table and chairs out, and enjoy the marvelous view. A Dometic awning gives you added pleasure: It turns the area in front of your vehicle into your personal mobile patio, which will give you many relaxing hours!

The awning provides shade as well as protection against rain, wind and weather and it can do so much more. With the right accessories you can quickly create an extra living or sleeping room for your mobile home, complete with windows, doors, curtains, fly screens and lighting.

THE PERFECT AWNING FOR EVERY DEMAND



MANUAL OR WITH A MOTOR

Dometic manual awnings are operated with a crank, which is included with all awnings. Models PW 1500 and PR 2500 have the option of having a 12 V motor which comes as standard with a remote control.



REMOTE CONTROL

All electric awnings come standard with a remote control for convenient operation at the touch of a button.



NEW S-FLOW HOUSING DESIGN

Dometic's new design language: elegant appearance with clean lines and no visible screws (PW 1100)




COMPACT HOUSING

The size of the awning depends on the vehicle length and weight is another factor that needs to be taken into account. The longer the awning is the heavier it will be, of course. The spectrum ranges from 11 kg for the smallest models to 58 kg for the big ones. That means Dometic awnings are still lighter and more compact than comparable products of our competitors.



ALUMINIUM END CAPS

The end caps on the models PW 1500 and PR 2500 are made of 100 % aluminium. This means the Dometic awning is more resistant against shock and impact.




PATENTED EASY LOCK

prevents the support legs from falling down during set-up and fastens them in place to keep the awning in the set height position




PATENTED LEAD RAIL SYSTEM

During set-up the lead rail adjusts automatically to give you convenient access to the support legs. After use the awning is stowed away safely in a 100 % tight closing housing. (PW 1500)




AWNING ADAPTERS

Vehicle walls and roofs are, among other things, design elements. That means they can have different shapes. With a comprehensive range of adapters Dometic ensures that the vehicle and the awning are perfectly coordinated, so you will get impeccable installation results.



ACCESSORIES

Our accessory range gives you a whole world of possibilities. For example, you can add side walls for additional protection, or complete awning tents to get an extra room in front of your vehicle.



PATENTED SLIDE-OUT-SUPPORTS

For ergonomic setup in upright posture (PW 1100)



PATENTED TENSION RAFTER

On all PW 1100 awning models, the tension rafter can be stowed away in the front rail after use. This saves precious space in the vehicle, and it also helps avoid damage to the tension rafter.



WHICH AWNING FITS YOUR VEHICLE?

4 EASY STEPS TO FIND YOUR AWNING


Small or large caravan, motorhome or campervan – Dometic has a tailor-made awning solution for every demand. The following pages give a general overview of the available options. Our awning guide-book will then guide you, step by step, to the awning model which fits best. Your choice will depend on the construction of your vehicle and, of course, on how much comfort you want.

Here are the most important criteria to consider before you take your buying decision:

1. **Find the correct vehicle specific adapter from the list on page 44 - 45**
2. **Choose your awning model that fits your adapter. Model variations explained on page 12 - 28**
3. **Ensure that you choose the correct awning length for your vehicle.** Your awning length should be chosen to ensure that any accessories fitted such as a camproom do not hinder the use or openings of any doors, lockers and windows
4. **Choose awning and fabric colour**

COLOURS OF HOUSING AND CLOTH

The Dometic core range offers both, colour options in the housing and fabric colours. Our core range includes Anodised, Anthracite and White and two fabric options.



Horizon Grey



Horizon Blue

FABRIC COLOURS

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating



anodised



anthracite



white

HOUSING COLOURS

AT ONE GLANCE

BAG AWNING



PERFECTWALL AWNINGS



Model	REVO ZIP	PW 1100	PW 1500
Wall mounting	✓	✓	✓
Roof mounting	-	-	-
Length (min. – max.)	2.00 – 4.30 m	2.60 – 4.50 m	1.50 – 6.00 m
Extension (min. – max.)	1.45 – 2.50 m	2.00 – 2.50 m	1.00 – 2.50 m
Enhanced extension (2.75 m)	-	-	Optional
Weight (min. – max.)	7.3 – 15.9 kg	20 – 32 kg	11 – 48 kg
Case colour options	White	White / Anthracite	White / Anthracite / Anodised
Fabric colour options	Grey	Grey Hor	Grey Hor / Blue Hor
Self supporting	-	-	-
Integrated supported legs	-	✓	✓
12 V Motor incl. remote control	-	-	Optional
Wind sensor	-	-	-
Aluminium end caps	-	-	✓
Universal mounting bracket incl.	-	✓	✓
Locking device in the front rail	-	-	✓
Telescopic crank	-	✓	✓
Sun & Rain Protect	-	Accessory	Accessory
LED profile	-	Accessory	Accessory
Rollo +	-	Accessory	Accessory
Tie Down Kit	Scope of delivery	Accessory	Accessory
CampRoom / PrivacyRoom	Accessory	Accessory	Accessory
WallSwitch only for motorized awnings	-	-	Accessory

PERFECTROOF AWNINGS



PR 2000	PR 2500
-	-
✓	✓
2.50 – 4.00 m	3.50 – 6.00 m
2.00 – 2.50 m	2.00 – 2.50 m
-	Optional
19 – 31 kg	27 – 45 kg
White / Anthracite / Anodised	White / Anthracite / Anodised
Grey Hor / Blue Hor	Grey Hor / Blue Hor
-	-
✓	✓
-	Optional
-	-
-	✓
-	-
-	✓
✓	✓
Accessory	Accessory
-	-
-	-
Accessory	Accessory
Accessory	Accessory
Accessory	Accessory






NEW DOMETIC REVO ZIP

BAG AWNING FOR CARAVANS AND MOTORHOMES

The Dometic Revo Zip bag awning, as the name reveals, is contained in a zipped bag that simply slides into the existing tent rail of your caravan or motorhome. No drilling, no bolting! Your Revo Zip awning can be left permanently attached to the vehicle, freeing up storage space and speeding up set-up. Once fitted, just open the

bag zip, roll out the awning and deploy the two front legs and the two rafters – it's as simple as that. Take down is just as quick. If you are looking for more than just shade, you can upgrade your Revo Zip awning with the perfectly matching Privacy Room.



ATTRACTIVE PRINTED ROOF

With anti-scratch film for excellent durability



STRONG FRAME

Extra strong, durable, adjustable aluminium frame



COMPLETE PACKAGE

Complete with guylines and pegs

BENEFITS OF REVO ZIP

- Quick and simple installation without drilling – simply slides into the tent rail of the caravan or motorhome
- Set-up and take-down in a matter of minutes – legs and roof rafters fold out of front rail
- High-quality, durable awning fabric – 500 g/m² weatherproof and colourfast with anti-scratch coating
- Extra strong, adjustable aluminium frame
- Frees up interior storage space as the awning stays connected on the outside
- Seven sizes available – for caravans and motorhomes with a rail height of up to 280 cm
- Optional accessories: privacy room, sun screen, aluminium support rafters




DIMENSIONS

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.00	1.45	7.3	3.50	2.50	12.9
2.40	1.85	8.9	4.00	2.50	14.1
2.70	2.15	10.2	4.50	2.50	15.9
3.10	2.50	11.4			



TELESCOPIC CRANK

For manual operation of the very smooth running gear



PATENTED EASY LOCK FLIPPER

Secures the support legs in place – no accidental unlocking possible



COLOUR OPTIONS

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating



PERFECTWALL PW 1100

THE SMART AWNING


The sun is beating down and there's no shade in sight? It's drizzling, but you want to enjoy your coffee outdoors? Then it's time for your smart wall awning to enter the scene. The new Dometic PerfectWall PW 1100 can be set up (and dismantled) faster, safer and easier than any awning you have seen before. Patented technology – exclusively available from Dometic – makes it happen. No need to bend down or reach up, no hassle whatsoever. Your Dometic PerfectWall gives you unprecedented ease, so you can enjoy the lovely view sooner.

- Easy, ergonomic setup with patented slide-out support legs
- Safe handling – redesigned easy flipper locker system secures the support legs
- Space-saving storage of the tension rafter in the leadrail
- Newly designed awning housing without visible screws
- Lengths from 2.6 to 4.5 m, extensions from 2.0 to 2.5 m
- High quality, one-piece awning fabric – no welding seam
- Telescopic crank
- Wide choice of awning adapters for different types of vehicles



PATENTED SLIDE-OUT-SUPPORTS

or ergonomic setup in upright posture



PATENTED EASY LOCK FLIPPER

Secures the support legs in place – no accidental unlocking possible



PATENTED TENSION RAFTER

stored away in the front rail after use to save space and avoid damage to the tension rafter

REINVENTION OF A CLASSIC

Dometic PerfectWall PW 1100 awnings come with several patented new features for enhanced convenience. The support legs slide out on either side of the newly designed, shapely housing for easy and ergonomic setup. The patented Easy Lock Flipper secures them firmly in place. The tension rafter, which gives the fabric extra tension, can be stored in the lead rail after use (4 and 4.5 m).



Slide-out support legs:

Easy setup from the corner of the awning, ergonomic handling without bending or stretching, secure hold also on uneven ground

DIMENSIONS

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.60	2.00	19.5	4.00	2.50 / 2.75	29.0
3.00	2.50	22.0	4.50	2.50 / 2.75	32.0
3.50	2.50	25.0			



NEW ELEGANT HOUSING DESIGN

Dometic's new design language: elegant appearance with clean lines and no visible screws



TELESCOPIC CRANK

For manual operation of the very smooth running gear



COLOUR OPTIONS

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating



Optional: 12-volt
model with remote
control

PERFECTWALL PW 1500

THE ROBUST WALL AWNING – ALSO FOR VERY LARGE VEHICLES


Supplied in lengths from 1.5 m up to 6.0 m the Dometic PerfectWall PW 1500 virtually covers the whole range of vehicles currently available. Regardless of the awning length the same housing is used, which significantly reduces the relative weight of the longer awnings (> 4.0 m). Details like the 100 % aluminium end caps reveal the high quality standard of the PW 1500 and contribute to a long

service life. Thanks to the automatic twisting lead rail the awning slides out and in easily and quietly. It is operated with a telescopic crank. Alternatively, you can opt for a fully integrated motor (12 V) with manual override for emergency operation.



PATENTED LEAD RAIL SYSTEM

Easy access to the support legs, 100 % tight closing housing



PATENTED EASY LOCK

For hassle-free and safe fastening of the support legs



ALUMINIUM END CAPS

Even better resistance to shock, impact and weather. End cap is painted in housing colour

BENEFITS OF PW 1500

- Aluminium end caps, resistant to shock and impact
- Patented locks on both sides of the lead rail – for perfect closing
- Patented lead rail system guarantees a 100 % tight closing housing
- Support legs with patented Easy Lock Flipper
- Same housing for all lengths from 1.5 to 6.0 m, models 3.5 m or longer also available with 2.75 m extension
- Operation with telescopic crank or optional 12 V motor



DIMENSIONS

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
1.50	1.00	11.0	4.50	2.50 / 2.75	33.0
2.60	2.00	21.0	5.00	2.50 / 2.75	36.0
3.00	2.50	24.0	5.50	2.50 / 2.75*	39.0
3.50	2.50 / 2.75	27.0	6.00	2.50 / 2.75*	48.0
4.00	2.50 / 2.75	30.0			

* only available with motor and 3 retractable arms

The awnings can also be supplied with 12-volt motor and, for models 3.5 m long or longer, with a 2.75 m extension.



TELESCOPIC CRANK

For manual operation of the very smooth running gear



FULLY INTEGRATED MOTOR

Completely integrated, does not extend the housing, 12-volt model with remote control



COLOUR OPTIONS

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating



HOUSING








PERFECTROOF PR 2000

THE BASIC MODEL FOR ROOF MOUNTING


Being the flattest roof awning in the market, the Dometic PerfectRoof PR 2000 makes an ideal roof-mount solution for panel vans, smaller motorhomes and caravans. Its compact dimensions and light weight minimise the roof load, so there's still room for other accessories, such as solar panels. Moreover, it comes at a price that puts everything else in the shade, and it still provides all

key Dometic features, e.g. the seamless, high-quality awning fabric. The operation is with a telescopic crank. The support legs are neatly stored in the lead rail and can be easily folded out by a spring lock. A wide choice of adapters helps to make the awning fit on nearly all types of vehicles.



OPTIMISED DESIGN

Compact and lightweight housing



PATENTED EASY LOCK

Prevents the support legs from falling down during set-up and fastens them in place to keep the awning in the set height position



TELESCOPIC CRANK

For manual operation of the very smooth running gear


BENEFITS OF PR 2000

- Lightweight and compact dimensions – flattest roof awning in the market
- Ideal for panel vans and small caravans
- Support legs with patented Easy Lock Flipper
- Lengths from 2.65 m up to 4.5 m, extension up to 2.5 m



DIMENSIONS

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.65	2.00	19.0	3.75	2.50	26.0
3.00	2.50	21.5	4.00	2.50	28.0
3.25	2.50	23.0	4.50	2.50	31.0
3.50	2.50	24.5			



FABRIC & HOUSING COLOURS

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating




Optional: 12-volt
model with remote
control

PERFECTROOF PR 2500

HIGH-QUALITY ROOF AWNING – LIGHT AND ROBUST, UP TO 6 M LONG


For vehicle lengths of 4.50 m and beyond there's no lighter and more compact roof awning around than the Dometic PerfectRoof PR 2500. Available in lengths up to 6 m, with an extension up to 2.75 m. Its roof-mounted housing does not affect the vehicle's aerodynamics. End caps made of 100 % aluminium make the awning extra-resistant to shock and impact. Patented locks on both sides of the lead rail

ensure perfect closing as well as additional safety while driving. The fast and smooth running gear is operated with a telescopic crank, which can easily be adapted to various vehicle heights. Alternatively, you can opt for a fully integrated motor (12 V) with manual override for emergency operation.



OPTIMISED DESIGN

Compact and lightweight housing



PATENTED EASY LOCK

Prevents the support legs from falling down during set-up and fastens them in place to keep the awning in the set height position



ALUMINIUM END CAPS

Weather-proof, shock-resistant aluminium end caps – paint coated in the colour of the awning housing.

BENEFITS OF PR 2500

- Aluminium end caps, resistant to shock and impact
- Patented locks on both sides of the lead rail – for perfect closing
- Support legs with patented Easy Lock Flipper
- Lengths from 3.5 m up to 6.0 m – also with 2.75 m extension



DIMENSIONS

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
3.50	2.50 / 2.75	27.0	5.00	2.50 / 2.75	36.0
3.75	2.50 / 2.75	28.5	5.50	2.50 / 2.75*	40.0
4.00	2.50 / 2.75	30.0	6.00	2.50 / 2.75*	45.0
4.50	2.50 / 2.75	33.0	* only available with 3 retractable arms		

The awnings can also be supplied with 12-volt motor and, for models 3.5 m long or longer, with a 2.75 m extension.



TELESCOPIC CRANK

For operation of the very smooth running gear



FULLY INTEGRATED MOTOR

Completely integrated, does not extend the housing, 12-volt model with remote control



FABRIC & HOUSING COLOURS

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating



VEHICLE SPECIFIC AWNING KITS

Dometic has tailor-made solutions for the Fiat Ducato, Citroën Jumper and Peugeot Boxer panel vans as well as VW T5 / T6's. These complete solutions from Dometic take all of the special features on these popular panel vans into account. For the Ducato, Peugeot and Citroën the PerfectRoof PR 2000 kit is available in lengths of 3.25, 3.75 and 4 meters for the short medium and Long wheelbase models.

Similarly the VW T5/T6 kits offer the perfect solution for the popular model and is offered as two options one with the new PW 1100 as

well as the PW 1500 with aluminium end caps. Additionally all the packages include a vehicle specific adapter tele scopic crank and a foam strip (only PR 2000 Ducato kit).

**Full overview of Van Kits
in Van Kit Brochure**




PW 1100 VW T5 / T6 KIT

**Complete awning assembly kit for
VW T5 / T6 Multivan**

Scope of delivery

- PW 1100 wall awning
- VW T5/T6 Multivan Adapter
- Small foldable crank




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
2.60	2.00	20.0	white	Grey Hor	9103104281
			anthracite	Grey Hor	9103104282

PW 1100 KIT CITROËN JUMPY / CITROËN CAMPSTER / PEUGEOT EXPERT / TOYOTA PROACE

Complete awning assembly kit

Scope of delivery

- 2.6 m PW 1100 wall awning
- Vehicle specific adapter
- Short crank handle
- Kit will fit, the following vehicles with or without Pop up roofs: Toyota Proace, Citroën Jumpy, Citroën SpaceTourer, Citroën Dispatch (UK), Peugeot Expert, Opel / Vauxhall Vivaro (from 2019)




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
2.60	2.00	20.0	anthracite	Grey Hor	9103104296 LHS
			anthracite	Grey Hor	9103104297 RHS

PW 1100 KIT VAUXHALL OPEL VIVARO / RENAULT TRAFIC / FIAT TALENTO & NISSAN NV300

Complete awning assembly kit

Scope of delivery

- 2.6 m PW 1100 wall awning
- Vehicle specific adapter
- Short crank handle




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
2.60	2.00	20.0	anthracite	Grey Hor	9103104305

PW 1100 KIT FORD TRANSIT CUSTOM

Complete awning assembly kit

Scope of delivery

- 2.6 m PW 1100 wall awning
- Vehicle specific adapter
- Short crank handle




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
2.60	2.00	20.0	anthracite	Grey Hor	9103104171

PW 1100 KIT FIAT DUCATO / PEUGEOT BOXER & CITROËN JUMPER WITH H3 ROOF

Complete awning assembly kit

Scope of delivery

- PW 1100 wall awning
- Vehicle specific adapter
- Telescopic crank handle




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
3.50	2.50	24.0	anthracite	Grey Hor	9103104306
4.00	2.50	29.0	anthracite	Grey Hor	9104104307

PW 1100 KIT FIAT DUCATO / PEUGEOT BOXER & CITROËN JUMPER WITH FOLDABLE ROOF

Complete awning assembly kit

Scope of delivery

- PW 1100 wall awning
- Vehicle specific adapter
- Telescopic crank handle




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
3.00	2.50	24.0	anthracite	Grey Hor	9103104308
3.50	2.50	25.0	anthracite	Grey Hor	9103104309
4.00	2.50	29.0	anthracite	Grey Hor	9103104310
4.50	2.50	30.0	anthracite	Grey Hor	9103104311

PW 1100 KIT IVECO DAILY H2

Complete awning assembly kit

Scope of delivery

- PW 1100 wall awning
- Vehicle specific adapter
- Telescopic crank handle




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
3.00	2.50	24.0	anthracite	Grey Hor	9103104308
3.50	2.50	25.0	anthracite	Grey Hor	9103104309
4.00	2.50	29.0	anthracite	Grey Hor	9103104310
4.50	2.50	30.0	anthracite	Grey Hor	9103104311

PW 1500 VW T5 / T6 KIT

Complete awning assembly kit for VW T5/T6 Multivan

Scope of delivery

- PW 1500 wall awning
- VW T5/T6 Multivan Adapter
- Small foldable crank




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
2.60	2.00	20.0	anthracite	Grey Hor	9103104123

PR 2000 DUCATO KIT

Complete awning assembly kit for Fiat, Citroën and Peugeot panel vans

Scope of delivery

- PR 2000 roof awning
- Telescopic crank
- Ducato H2 Adapter in 3 pieces
- Foam sealing strip (2 x 1.5 m)




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
3.25	2.50	24.0	anthracite	Grey Hor	9103104096
3.75	2.50	27.0	anthracite	Grey Hor	9103104098
4.00	2.50	29.0	anthracite	Grey Hor	9103104102

PR 2000 KIT RENAULT MASTER / NISSAN NV400 & VAUXHALL OPEL MOVANO

Complete awning assembly kit

Scope of delivery

- PR 2000 roof awning
- Vehicle specific adapter
- Telescopic crank handle
- Foam sealing strip 2 x 1.5 m




Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
2.60	2.50	20.0	anthracite	Grey Hor	9103104313
3.25	2.50	24.0	anthracite	Grey Hor	9103104314
3.75	2.50	27.0	anthracite	Grey Hor	9103104315
4.50	2.50	29.0	anthracite	Grey Hor	9103104316

PR 2000 KIT VW CRAFTER & MAN TGE

Complete awning assembly kit

Scope of delivery

- PR 2000 roof awning
- Vehicle specific adapter
- Telescopic crank handle
- Foam sealing strip 2 x 1.5 m



Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
3.25	2.50	24.0	anthracite	Grey Hor	9103104317
3.75	2.50	27.0	anthracite	Grey Hor	9103104318
4.00	2.50	29.0	anthracite	Grey Hor	9103104319

PR 2000 KIT MERCEDES SPRINTER H2

Complete awning assembly kit

Scope of delivery

- PR 2000 roof awning
- Vehicle specific adapter
- Telescopic crank handle
- Foam sealing strip 2 x 1.5 m



Length (m)	Extension (m)	Weight with adapter (kg)	Colour	Fabric colour	Ref. No.
3.25	2.50	24.0	anthracite	Grey Hor	9103104320
3.75	2.50	27.0	anthracite	Grey Hor	9103104321
4.00	2.50	29.0	anthracite	Grey Hor	9103104322



NEW DOMETIC REVO ZIP PRIVACY ROOM

LOOKING FOR MORE THAN JUST SHADE?

Your Dometic Revo Zip awning can be fitted with a privacy room in a matter of minutes to provide comfortable accommodation away from the elements. The side walls simply zip to the awning roof and can be attached to the vehicle by using the Limpet™ Fix System or upright poles. The front wall slides into the prepared channel on

the awning's front rail and zips to the side walls. The Dometic Revo Zip Privacy Room comes complete with curtains and side doors with mesh panels behind. Suitable for vehicles with a rail height of between 240 and 270 cm.

- Side walls simply zip to the Revo roof
- Front wall slides into channel on the Revo front rail and zips to the side walls
- Side walls can be attached to the vehicle side using the Limpet™ Fix System or by using rear upright poles
- Height of side walls can be varied to suit different height vehicles with a rail height of between 240 -270 cm
- Complete with curtains on easy-slide track
- Zip-out side and front panels
- Side doors with mesh panels behind



Model	Fits to awning model	Weight (kg)	Ref. No.
240 PRIVACY ROOM	REVO ZIP 240	9.1	9103104329
270 PRIVACY ROOM	REVO ZIP 270	9.8	9103104330
310 PRIVACY ROOM	REVO ZIP 310	10.7	9103104331
350 PRIVACY ROOM	REVO ZIP 350	11.1	9103104332

Model	Fits to awning model	Weight (kg)	Ref. No.
400 PRIVACY ROOM	REVO ZIP 400	11.5	9103103333
450 PRIVACY ROOM	REVO ZIP 450	11.9	9103103334
DOMETIC REVO SUPPORT RAFTER	350 – 450	0.5	9103104335

AN EXTRA ROOM IN FRONT OF THE VEHICLE

HOW YOU CREATE ADDITIONAL "LIVING SPACE"

FAST SET-UP
BY ONLY ONE
PERSON

Do you want to convert your awning into an awning tent to create an extra room that can be used in all weathers? Our accessory range gives you a smart solution that can be set up with little effort by only one person.



Description	Height (m)	Ref. No.	Description	Ref. No.
CampRoom sides PW – Small	2.00 – 2.28	9103103934	CampRoom front – 2.60 m	9103103923
CampRoom sides PW – Small – Ex 2 m	2.00 – 2.28	9103103933	CampRoom front – 3.00 m	9103103924
CampRoom sides PW – Medium	2.29 – 2.59	9103103935	CampRoom front – 3.25 m	9103103925
CampRoom sides PW – Medium – Ex 2.75 m	2.00 – 2.59	9103104181	CampRoom front – 3.50 m	9103103926
CampRoom sides PW – Large	2.30 – 2.59	9103103936	CampRoom front – 3.75 m	9103103927
CampRoom sides PW X – Large	2.60 – 2.89	9103103937	CampRoom front – 4.00 m	9103103928
CampRoom sides PR – Medium	2.30 – 2.59	9103103938	CampRoom front – 4.50 m	9103103929
CampRoom sides PR – Large	2.60 – 2.89	9103103939	CampRoom front – 5.00 m	9103103930
CampRoom sides PR – Ducato	H2 DUCATO	9103103940	CampRoom front – 5.50 m	9103103931
			CampRoom front – 6.00 m	9103103932

For Fiat Ducato H2, Peugeot Boxer H2, Citroën Jumper H2, Mercedes Sprinter H2 and Volkswagen Crafter H2

CAMPROOM

If you have opted for a cassette awning with support legs, our CampRoom makes a great awning tent for you. The comfortable extra room in front of your vehicle can be set up in a matter of minutes, by only one person. If you cover the underside of the vehicle with a standard supplied skirt you will get a completely waterproof and wind-breaking living space.

The CampRoom is composed of two packages; one for the front (including the skirt, pegs and ropes) and one for the two side panels (including the clamp profiles, pegs and ropes).



All windows come standard with mosquito screens, roll-up PVC window (outside) and curtains (inside).



The roll-up door is always fitted on the right hand side. Two doors (left and right) are standard for lengths > 4.50 m.



An additional triangle is included with the Ducato version for even better protection.



You can cover the lower side of the vehicle with a standard supplied skirt (keder rail is not included in the set).



The lock of the clamping profile must be turned only a quarter of a turn.



The mast profiles are fitted with rubber seals to prevent scratching and to make the area entirely waterproof. The height can easily be adjusted.



The side panel is secured to the support legs with Velcro straps and then connected with the front panel.



The cross brace adds stability to the tent.

ADDITIONAL PRIVACY AND WEATHER PROTECTION

SUNPROTECT & RAINPROTECT

What do you do when the low sun is glaring in, when heavy rain gets under your awning roof from the front or side, or when you are bothered by passers-by peering in? With our accessory products SunProtect and RainProtect you are well equipped in such situations. Once they have been fitted in place, you can sit back, relax and enjoy the most precious days of the year.

RAINPROTECT

RainProtect is made from a grey, water- and wind-proof PVC material. The front and the side panels are available in different sizes. The front panel is nontransparent, the side panels (also suitable for use left or right) have a panoramic window. They extend down to the ground to provide optimal protection against moisture.



RAINPROTECT FRONT



For awning width (m)	Extension (m)	Ref. No.
2.60	1.40	9103103954
3.00	1.40	9103103955
3.50	1.40	9103103956
3.75	1.40	9103103957
4.00	1.40	9103103958
4.50	1.40	9103103959
5.00	1.40	9103103960
5.50	1.40	9103103961
6.00	1.40	9103103962

RAINPROTECT DELUXE SIDE



Size	For awning extension (m)	Height (m)	Ref. No.
SMALL	2.50	2.00 – 2.29	9103103967
MEDIUM	2.50	2.30 – 2.59	9103103968
LARGE	2.50	2.60 – 2.89	9103103969
X-LARGE	2.50	2.90 – 3.20	9103103970



SUNPROTECT

SunProtect is a transparent screen fabric that lets the light through and keeps the heat out. It is available as a front panel or side panel. The front panel has an extension of 1.40 metres and can be supplied for various awning widths. The side panel can be fitted either to the right or left of the awning. There's a matching SunProtect for all Dometic awnings.

SUNPROTECT FRONT



For awning width (m)	Extension (m)	Ref. No.
2.60	1.40	9103103941
3.00	1.40	9103103942
3.50	1.40	9103103943
3.75	1.40	9103103944
4.00	1.40	9103103945
4.50	1.40	9103103946
5.00	1.40	9103103947
5.50	1.40	9103103948
6.00	1.40	9103103949

SUNPROTECT SIDE



Size	For awning extension (m)	Height (m)	Ref. No.
SMALL	2.50	2.00 – 2.29	9103103950
MEDIUM	2.50	2.30 – 2.59	9103103951
LARGE	2.50	2.60 – 2.89	9103103952
X-LARGE	2.50	2.90 – 3.20	9103103953

ROLL DOWN COMFORT

Designed to fit all Dometic wall awnings with support legs, Dometic Rollo + is an additional front roller blind that can be manually positioned at any height. Its patented system makes it easy to install and its sleek, lightweight construction ensures that it can be subtly integrated into any type of awning housing. Rollo + is available in lengths of 2.60 m, 3.00 m, 3.50 m and 4.00 m.

DOMETIC ROLLO +

This easy-to-install roller blind can be fitted to your existing wall awning. Offering additional cover in a stylish, patented design.

- Patented system makes installation easy
- Designed to fit Dometic PerfectWall awnings with support legs only
- Sleek design for subtle integration



Length (m)	Housing colour	Ref. No.
2.60	white	9103103971
3.00	white	9103103972
3.50	white	9103103973
4.00	white	9103103974

LET THERE BE LIGHT!

Warm summer nights are meant to be spent outdoors. The new Dometic LED profile provides you with the correct lighting. Simply install under the awning on the vehicle wall and let there be light for a late night dinner, a get-together round with your friends, reading a good book or whatever you fancy.

DOMETIC LED PROFILE

The LED profile is available in different lengths. Simply choose the right product to match the length of your awning. Installation requires just a few easy steps. Fix the aluminium profile sections to the underside of the front rail housing, attach the LED strip across the entire length, connect your new outdoor light to the 12 V supply. That's it.

- Easy installation under the awning on the vehicle wall
- Perfect angle of illumination thanks to aluminium profile
- Available for all Dometic wall awnings (2.6 – 6 m long)



LED PROFILE, WHITE, 1 X

Length (m)	Ref. No.
2.60	9103104264
3.00	9103104265
3.50	9103104266
4.00	9103104267
4.50	9103104268
5.00	9103104269
5.50	9103104270
6.00	9103104271

LED RAIL FULL LENGTH, WHITE, 5 X

Length (m)	Ref. No.
2.60	9103104272
3.00	9103104273
3.50	9103104274
4.00	9103104275
4.50	9103104276
5.00	9103104277
5.50	9103104278
6.00	9103104279

LED RAIL FULL LENGTH, ANODISED, 5 X

Length (m)	Ref. No.
2.60	9103104283
3.00	9103104284
3.50	9103104285
4.00	9103104286
4.50	9103104287
5.00	9103104288
5.50	9103104289
6.00	9103104290

CLIMATE
AWNINGS



DOMETIC AW-WS

Wireless wall switch for electrical awnings with remote control

- Functions: extend and retract, stop
- Light control

Wall switch with light function
Ref. No. 9103104101



DOMETIC PW-SJ

Sealing joint for the Dometic PerfectWall awnings. Available in a variety of lengths and widths, this rubber sealing ensures the water-tight attachment of your awning to your RV (for PW 1100, 1500).

PW 1500 sealing joints Small, width 50 mm

3.00 m / Ref. No. 9103103979
3.50 m / Ref. No. 9103103980
4.00 m / Ref. No. 9103103981
30.00 m / Ref. No. 9103103982

PW 1500 sealing joints Large, width 75 mm

3.00 m / Ref. No. 9103103983
3.50 m / Ref. No. 9103103984
4.00 m / Ref. No. 9103103985
30.00 m / Ref. No. 9103103986

PW 1100 sealing joints

4.00 m / Ref. No. 9103104323
6.00 m / Ref. No. 9103104324
30.00 m / Ref. No. 9103104325

DOMETIC AW-TDKIT

Awning tie down kit

This tie down kit enables you to firmly anchor PerfectWall and PerfectRoof awnings with support legs into the ground.

- Adjustable straps and robust clasps, just right for windy days
- Easy to use, guarantees firm hold
- Coil springs relieve strain in wind

Ref. No. 9103104000





DOMETIC PR-FS

Awning foam strip kit for PR 2000 and PR 2500, 2 x 1.5 m

- Closes the space between the vehicle and the roof awning to prevent leakage at the door side
- For Dometic PR 2000 or PR 2500 roof awnings
- Optional accessory

Ref. No. 9103104207



DOMETIC AW-RKIT

Awning Repair Kit (PVC)

- Be fully prepared for life on the road with this awning repair kit
- Patch for easy mending of tears and holes
- Suitable for acrylic and polyester fabrics

Ref. No. 9103104018



DOMETIC AW-TR

The tension rafter improves the tension of the awning fabric. The bar is supplied as standard for awnings of 4 m and longer. The available lengths are 2.5 m and 2.75 m.

- Improve the tension of your awning fabric
- Available in two lengths: 2.5 and 2.75 m
- Optional accessory

2.75 m / Ref. No. 9103103996

2.50 m / Ref. No. 9103103994




VEHICLE-SPECIFIC AWNING ADAPTERS


They make Dometic awnings fit on (almost) every recreational vehicle!

Vehicle walls and roofs are, among other things, design elements. They can have different shapes – flat, curved, etc. With a comprehensive range of accessories Dometic ensures that the vehicle and the awning are perfectly coordinated, with impeccable installation results.


ADAPTER FOR WALL AWNINGS – PW 1100 & PW 1500



1




2



3




4




5

STANDARD FLAT		EURA MOBIL		HYMER CAMP		HYMER VAN B2		LAIKA ECOVIP 1	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.						
3.00 m	9103103804	3.00 m	9103103813	3.00 m	9103103819	3.00 m	9103103826	4.00 m	9103103832
3.50 m	9103103805	3.50 m	9103103814	3.50 m	9103103820	3.50 m	9103103827	4.50 m	9103103833
4.00 m	9103103806	4.00 m	9103103815	4.00 m	9103103821	4.00 m	9103103828		
4.50 m	9103103807	4.50 m	9103103816	4.50 m	9103103822	4.50 m	9103103829		
5.00 m	9103103808	5.00 m	9103103817	5.00 m	9103103823	5.00 m	9103103830		
5.50 m	9103103809	5.50 m	9103103818	5.50 m	9103103824	5.50 m	9103103831		
6.00 m	9103103810			4 pcs	9103103825				
5x0.40 m	9103103811								
5x0.75 m	9103103812								

ADAPTER FOR WALL AWNINGS – PW 1100 & PW 1500




6




7



8




9




10

RAPIDO 7+8+9		BÜRSTNER + HOBBY SQUARE		KNAUS C-LINER		DETHLEFFS GLOBEBUS		CHAUSSON ARCA	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3.00 m	9103103834	3.00 m	9103103839	3.00 m	9103103844	3.00 m	9103103846	3.00 m	9103103852
3.50 m	9103103835	3.50 m	9103103840	5.50 m	9103103845	3.50 m	9103103847	3.50 m	9103103853
4.00 m	9103103836	4.00 m	9103103841			4.00 m	9103103848	4.00 m	9103103854
4.50 m	9103103837	4.50 m	9103103842			4.50 m	9103103849		
4 pcs	9103103838	4 pcs	9103103843			5.00 m	9103103850		




11




12



13




14




15

LAIKA REXOSLINE		BUERSTNER RND		LUXE CARAVAN RAIL		DUCATO H2 ROOFRAIL		DUCATO H3 + LE VOYAGEUR	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
4.00 m	9103103855	3.00 m	9103103859	10x6.00 m	9103103867	3 pcs	9103103868	3.00 m	9103103869
4.50 m	9103103856	3.50 m	9103103860					3.50 m	9103103870
5.00 m	9103103857	4.00 m	9103103861					4.00 m	9103103871
3 pcs	9103103858	4.50 m	9103103862					4.50 m	9103103872
		5.00 m	9103103863					5.00 m	9103103873
		5.50 m	9103103864					5.50 m	9103103874
		6.00 m	9103103865					4 pcs	9103103875
		4 pcs	9103103866						


ADAPTER FOR WALL AWNINGS – PW 1100 & PW 1500




25




27



29




31




33


VW CALIFORNIA		VIVARO+TRAFIC+TALENTO+NV300		VW T5/T6 MULTIVAN		FORD TRANSIT CUSTOM + TOURNEO 2013		ADAPTER PR-HOBBY CARAVAN 2014	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
2 pcs	9103104020	2 pcs	9103104103	2 pcs	9103104118	2 pcs	9103104172	3 pcs	9103104203
5 m	9103103878								
5.5 m	9103103879								
6 m	9103103880								



35



36




37


FLEURETTE+FLORIUM		DUCATO H2 FOLDABLE ROOF		JUMPY EXPERT PROACE					
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.				
3.00 m	9103104256	3.00 m	9103104262	2 pcs LHT	9103104011				
3.50 m	9103104257	2 pcs	9103104263	2 pcs LHT	9103104012				
4.00 m	9103104258								
4.50 m	9103104259								
5.00 m	9103104260								
5.50 m	9103104261								



ADAPTER FOR ROOF AWNINGS – PR 2000 & PR 2500




16



17



18



19



20

HYMER SX		LAIKA KREOS 05		DUCATO+JUMPER+BOXER 1P		ESTEREL		CARAV+MASTER >11	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
4.00 m	9103103876	4.00 m	9103103881	3.25 m	9103103887	3.50 m	9103103891	3.00 m	9103103893
4.50 m	9103103877	4.50 m	9103103882	3.75 m	9103103888	4.00 m	9103103892	3.25 m	9103104010
5.00 m	9103103878	5.00 m	9103103883	4.00 m	9103103889			3.50 m	9103103894
5.50 m	9103103879	5.50 m	9103103884	3 pcs	9103103890			3.75 m	9103103895
6.00 m	9103103880	6.00 m	9103103885					4.00 m	9103103896
		3 pcs	9103103886					4.50 m	9103103897
								5.00 m	9103103898
								5.5 m	9103103899
								6.00 m	9103103900
								3 pcs	9103103901

**CLIMATE
AWNINGS**


ADAPTER FOR ROOF AWNINGS – PR 2000 & PR 2500



21



22




23




28


CRAFTER <2017 + SPRINTER		MASTER + MOVANO <2011		LMC+TEC < 2014		RAPIDO DISTINCTION	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
2.65 m	9103103902	3.00 m	9103103909	3.00 m	9103103914	5.00 m	9103104115
3.00 m	9103103903	3.50 m	9103103910	3.50 m	9103103915	5.50 m	9103104116
3.50 m	9103103904	3.75 m	9103103911	3.75 m	9103103916		
3.75 m	9103103905	4.00 m	9103103912	4.00 m	9103103917		
4.00 m	9103103906	4.50 m	9103103913	4.50 m	9103103918		
4.50 m	9103103907	5.00 m	9103104173	5.00 m	9103103919		
3 pcs	9103103908			5.50 m	9103103920		
				6.00 m	9103103921		
				3 pcs	9103103922		



33



34



39

ADAPTER PR-HOBBY CARAVAN 2014		VOLKSWAGEN CRAFTER 2017		CARTHAGO CHIC	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3 pcs	9103104203	2 pcs RHT	9103104206	4.00 m	9103104292
		2 pcs LHT	9103104250	4.50 m	9103104293
				5.00 m	9103104294
				5.50 m	9103104295





AWNING ADAPTERS IN ALPHABETICAL ORDER

VEHICLE NAME	ADAPTER NO.	VEHICLE NAME	ADAPTER NO.	VEHICLE NAME	ADAPTER NO.
ADRIA CORAL	3	CHAUSSON ALLEGRO	10	FENDT	23
ADRIA CORAL (S690 SP)	7	CHAUSSON EXALTIS	1	FIAT DUCATO H2	18
ADRIA SHX	15	CHAUSSON FLASH	1	FIAT DUCATO H2 FOLDABLE ROOF	36
ARCA H SERIES	1	CHAUSSON WELCOME	1	FIAT DUCATO H2 ROOFRAIL	14
ARCA M & P SERIES	10	CI ELLIOT	1	FIAT DUCATO H3	15
AUTOSLEEPER VANS	15	CI MIZAR	1	FIAT TALENTO	27
BAILEY ROUND	30	CI RIVIERA	1	FLORIUM BAXTER	35
BAILEY SQAURE	5	CI SINFONIA	1	FLORIUM MAYFLOWER	35
BAVARIA BALTIC	7	CI X-TIL	1	FLORIUM WINCHESTER	10
BAVARIA FJORD	7	CITROEN CAMPSTER	37	FLUERETTE DISCOVER	35
BENIMAR TESSORO	16	CITROËN JUMPER	18	FLUERETTE MAGISTER	35
BÜRSTNER AVIANO	12	CITROEN JUMPER H2	18	FONT VENDOME H3	15
BÜRSTNER ELEGANCE	12	CITROEN JUMPER H2 FOLDABLE ROOF	36	FORD NUGGET HIGH ROOF	15
BÜRSTNER IXEO	3	CITROEN JUMPER H2 FOLDABLE ROOF	36	FORD NUGGET WESTFALIA HIGH ROOF	15
BÜRSTNER NEXXO	3	CITROEN JUMPER H3	15	FORD TRANSIT CUSTOM > 2012	31
BÜRSTNER ROUND	12	CITROEN JUMPY >2016	37	FORD TRANSIT H3	15
BÜRSTNER SOLANO	3	CONCORDE	1	FORD TRANSIT HIGH MODEL	15
BÜRSTNER SQUARE	7	DETHLEFFS ADVANTAGE	1	FORD TRANSIT TOURNEO CONNECT >2012	31
CAMPÉRÈVE LINDBERGH	20	DETHLEFFS ESPRIT	1	FRANKIA COMFORT	1
CAMPÉRÈVE NEOVAN	1	DETHLEFFS GLOBE 4 & 5	9	FRANKIA HOLIDAY	1
CARADO T SERIES	9	DETHLEFFS GLOBETROTTER	1	FRANKIA LUXURY	1
CARAVAN ADAPTER	20	DETHLEFFS GLOBUS	9	FRANKIA PREMIUM	1
CARAVAN RAIL	13	DETHLEFFS MAGIC EDITION	1	GIOTTILINE	23
CARTHAGO HIGH LINER	39	DUCATO H2	18	GIOTTILINE PANEL VAN	23
CARTHAGO C	39	ELNAGH KING	1	GIOTTILINE THERRY	1
CARTHAGO CHIC	39	ELNAGH MAGNUM	1	GLOBECAR GLOBESTAR 600 L	18
CARTHAGO CHIC <2018	17	ERIBA TOURING 2011	4	GLOBECAR CAMPSCOUT	2
CARTHAGO CHIC >2018	39	ERIBA TOURING ROOF TOP	16	GLOBECAR CAMPSCOUT	18
CHALLENGER EDEN	10	ESTEREL	19	GLOBECAR CAMPSCOUT B	18
CHALLENGER GENESIS	3	EURA MOBIL	2	GLOBECAR CAMPSCOUT REVOLUTION	18
CHALLENGER PRIIUM	1	EURA MOBIL INTEGRA 670	10	GLOBECAR GLOBESCOUT LIMITED	18
CHALLENGER SIRIUS	1	EURA MOBIL INTEGRA STYLE	16		



VEHICLE NAME	ADAPTER NO.
GLOBECAR GLOBESCOOUT PLUS	18
GLOBECAR GLOBESCOOUT R	18
GLOBECAR GLOBESTAR 600 L REVOLUTION	18
GLOBECAR GLOBESTAR 600 W	18
GLOBECAR GLOBESTAR 640 DK	18
GLOBECAR ROADSCOUT	18
GLOBECAR ROADSCOUT R	18
GLOBECAR ROADSCOUT WITH ROOF RAIL	14
GLOBECAR SUMMIT 600	18
GLOBECAR SUMMIT 600 PLUS	18
GLOBECAR SUMMIT 640	18
HOBBY	7
HOBBY CARAVAN > 2014	33
HOBBY MOTORHOME	7
HOBBY VAN	3
HYMER B2	4
HYMER CAMP	3
HYMER EXSIS < 2007	3
HYMER EXSIS > 2007	4
HYMER S	16
HYMER STARLINE	3
HYMER SX	16
HYMER T CLASS	4
HYMER T654 CL 2X2	3
HYMER TRAMP	3
HYMER VAN	4
HYMERMOBIL B CLASS	3
HYMERMOBIL S CLASS	3
ITINEO	1
IVECO DAILY < 2011	22
KAMPA BAG AWNINGS	13
KARMANN	10

VEHICLE NAME	ADAPTER NO.
KENTUCKY	1
KNAUS	1
KNAUS C LINER	8
LAIKA ECOVIP 1	5
LAIKA ECOVIP 7	11
LAIKA KREOS 5	17
LAIKA KREOS 9	11
LAIKA REXOSLINE	11
LE VOYAGEUR	15
LE VOYAGEUR PLATINUM	7
LE VOYAGEUR PLATINUM	7
LMC LIBERTY < 2014	23
LUXE CARAVAN RAIL	13
MAN TGE HIGH ROOF	34
MC LOUIS GLAMYS	1
MC LOUIS LAGAN	3
MC LOUIS MC2 & MC4	1
MC LOUIS NEVIS	1
MC LOUIS STEEL	3
MC LOUIS TANDY	1
MERCEDES SPRINTER	21
MILLER MICHIGAN	7
MOBILVETTA	1
MOBILVETTA NAZCA	17
MOOVEO SERIES C	1
MOOVEO SERIES I	1
MOOVEO SERIES P	1
MORELLO	1
NIESMANN BISCHOF	16
NIESMANN BISCHOF MOTORHOME	16
NISSAN INTERSTAR	22
NISSAN NV300 >2016	27

VEHICLE NAME	ADAPTER NO.
OPEL / VAUXHALL MOVANO > 2011	20
OPEL / VAUXHALL VIVARO B	27
OPEL MOVANO < 2011	22
OPEL ZAFIRA > 2019	37
PEUGEOT BOXER H2	18
PEUGEOT BOXER H2 FOLDABLE ROOF	36
PEUGEOT BOXER H3	15
PEUGEOT EXPERT >2016	37
PILOTE EXPLORATEUR	7
POSSL ROADCAMP WITH ROOF RAIL	14
RAPIDO 10	3
RAPIDO 7, 8 and 9 models	6
RAPIDO DISTINCTION	28
RENAULT MASTER < 2011	22
RENAULT MASTER > 2011	20
RENAULT TRAFFIC > 2014	27
RIMOR	1
ROLLER TEAM GRANDUC	1
ROLLER TEAM MAGNIFIC	1
ROLLER TEAM PO	1
ROLLER TEAM T-LINE	1
SUNLIGHT	1
TEC CARAVAN <2014	23
TOYOTA PROACE	37
UNIVERSAL ROOF ADAPTER	24
UNIVERSAL ROOF ADAPTER	24
VW CRAFTER < 2017	21
VW CRAFTER > 2017	34
VW CRAFTER H3 >2017	34
VW T5 / T6 CALIFORNIA	25
VW T5 / T6 MULTIVAN	29

FANCY MORE ...? REQUEST OUR CATALOGUES!

2020

Simply mail us:
sales@dometic.co.uk



Buying Guide Refrigerators

How to find the
right refrigerator
for your caravan,
motor home or
boat



Buying Guide Coolers

How to find the
right coolbox



Buying Guide Airconditioners

How to find
the right air
conditioning
system for your
leisure vehicle



Buying Guide Power & Control

Choose the right
Dometic pro-
ducts for your
application

OUR CATALOGUES ARE ALSO AVAILABLE ON THE INTERNET AT DOMETIC.COM



Dometic is a global company that makes mobile living easy – by providing great solutions to satisfy people’s essential needs when they are on the move. Like cooking, taking care of personal hygiene and maintaining a pleasant temperature. We offer smart and reliable products with outstanding design.

THE FULL COMFORT RANGE

View Products:
dometic.com

UNITED KINGDOM
DOMETIC UK LTD.

Dometic House, The Brewery,
Blandford St. Mary
Dorset DT11 9LS

Tel 0344 626 0133

Fax 0344 626 0143

Mail sales@dometic.co.uk

Net dometic.com

GERMANY
DOMETIC GERMANY GMBH

Hollefeldstraße 63
D-48282 Emsdetten

Tel +49 (0) 2572 879-0

Fax +49 (0) 2572 879-300

Mail info@dometic-waeco.de

Net dometic.com

